

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office ~~SEP 19 1989~~ NEW PRIORITY DATE: AUG 2 1995

Returned to applicant for correction

Corrected application filed

Map filed SEP 19 1989

The applicant Father Flanagan's Boy's Home  
14100 Crawford Street, of Boys Town  
Nebraska, 68010, hereby make application for permission to appropriate the public  
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

Applicant is a corporation, date of incorporation is: February 24, 1920. Place of incorporation is: Boys Town, Nebraska.

1. The source of the proposed appropriation is Underground - Las Vegas Artesian Basin  
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is .25 second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Quasi - Municipal Domestic  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:  
(a) Irrigation, state number of acres to be irrigated  
(b) Stockwater, state number and kinds of animals to be watered  
(c) Other use (describe fully under "No. 12. Remarks") SEE REMARKS  
(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point W1/2 SW1/4 SW1/4 of Section 11, T. 19S.,  
Describe as being within a 40-acre subdivision of public  
R. 60E., M.D.M., Clark County Nevada, being S. 68° 50' 32" W., 660.44 feet to  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
the Southwest corner of said section 11.

6. Place of use W1/2 SW1/4 SW1/4 of section 11, T. 19S., R. 60E., M.D.M., Clark County Nevada.  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about 1st of January and end about 31st of December, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill well with pump and motor  
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$20,000.00

10. Estimated time required to construct works..... 1 year  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 2 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

To serve - 10 acres consisting of five group foster homes with kitchen and bathroom facilities. Each building will house eight (8) youths with 2 foster parents, plus approved landscape.

s/ Gene D. Krametbauer  
By GENE D. KRAMETBAUER, Agent  
2300 Paseo Del Prado A-#100  
Las Vegas, NV 89102

Compared..... pm/cc bp/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 53870 and 53871 shall not exceed 5.77 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.25 ..... cubic feet per second, but not to exceed 5.77 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... May 3, 1992

Proof of completion of work shall be filed on or before..... June 3, 1992

Application of water to beneficial use shall be made on or before..... May 3, 1995

Proof of the application of water to beneficial use shall be filed on or before..... June 3, 1995

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... JUN 26 1992 IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of my

Cultural map filed..... office, this 3rd day of May

Certificate No..... Issued..... A.D. 19 90

*R. Michael Turnipseed P.E.*  
State Engineer

(O)-5314 (Rev.)  
CANCELLED JUL 19 1995 BECAUSE OF FAILURE  
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
*R. Michael Turnipseed P.E.*  
STATE ENGINEER  
Came Rescinded 9-21-95

OWNER  
WITHDRAWN BY APPLICANT DEC 03 2003  
*Turnipseed, P.E.*  
STATE ENGINEER